

Drum Handling Solutions

Answers for all your drum handling needs.

- *Hand Trucks*
- *Lift Truck Attachments*
- *Portable Lifts*
- *Dollies*




 **Valley Craft**[®]

Best Pak Company Worthington, Ohio
Ph: (877) 885-7527 or (614)885-7527 Fx: (614) 888-3094
BestPakCompany.com customer@BestPakCompany.com

Lift Truck Attachments


Valley Craft's lift truck attachments make handling of steel plastic and fiber drums safe, effective and extremely easy. A variety of attachments are available with three different jaw types to meet the needs of various applications.



(Models 6135, 6136, 6137) Self-Powered Hydraulic Ultra-Grip II™ is one of the most versatile and durable drum handlers available, providing the operator with easily-controlled 360° rotation on horizontal or vertical plane, 125° forward dumping, and 180° inverting. Comes with built-in, 12-volt, battery-operated Power-Pak and self-contained hydraulics. Inverts, moves, stacks and palletizes steel, plastic and fiber drums and cylinders 18-28" inches. Fork tube size is 2" x 6" x 38". 2000-lb. lifting capacity. Available with standard, drum hugger or giant jaws. **Note: Batteries not included.**



(Models 6139, 6140) Self-Powered Hydraulic Versa-Grip™ is Valley Craft's answer to drum placement and pouring. The unit features hydraulic gripping and 125° forward dumping capabilities for moving and pouring steel and fiber drums 18-28" in diameter. Comes with built-in, 12-volt, battery-operated Power-Pak and self-contained hydraulics. Fork tube size is 2" x 6" x 42". 2000-lb. lifting capacity. Available with standard or giant jaws. **Note: Batteries not included.**






(Models 6138, 6133) Lift Truck-Powered Hydraulic Versa-Grip™ features gripping and 125° forward dumping capabilities for moving and pouring steel and fiber drums 18-28". Unit requires that lift truck be equipped with auxiliary valve control and hydraulic quick couplers for operation. Fork tube size is 2" x 6" x 22". 2000-lb. lifting capacity. Available with standard or giant jaws.



(Models 6157, 6160, 6162) Self-Powered Hydraulic Maxi-Grip™ is a single-function grip designed to increase efficiency of basic moving, stacking and palletizing actions. This unit has no dumping functions, but is optimal for fast and effective warehousing drum inventories. Equipped with built-in, 12-volt, battery-operated Power-Pak and self-contained hydraulics. Fork tube size is 2" x 6" x 42". 2000-lb. lifting capacity. Available with standard, drum hugger or giant jaws to handle drums and cylinders 18-28". **Note: Batteries not included.**



(Models 6156, 6132, 6161) Lift Truck-Powered Hydraulic Maxi-Grip™ is a single-function grip designed for vertical stacking and palletizing of steel, plastic and fiber drums 18-28". Unit is fork-mounted and require lift truck be equipped with auxiliary valve control and hydraulic quick couplers for operation. Fork tube size is 2" x 6" x 22". 2000-lb. lifting capacity.




Drum Hugger Jaws for 55-gal. steel, plastic and fiber drums 23-24 in. in diameter.




Giant Jaws for steel and fiber drums 18-28 in. in diameter.




Standard Jaws for steel drums and cylinders 18-28 in. in diameter.



(Models 6159, 6164) Self-Powered Double Maxi-Grip™ cuts handling time in half by moving, stacking and palletizing two drums at once. Available with standard or giant jaws for handling drums and cylinders 18-28". Features built-in, 12-volt, battery-operated Power-Pak and self-contained hydraulics. Fork-mounted unit moves, stacks and palletizes steel and fiber drums. Handles different sized drums at same time. Fork tube size is 2" x 6" x 42". 2000-lb. lifting capacity. **Note: Batteries not included.**




(Models 6158, 6163) Lift Truck-Powered Double Maxi-Grip™ allows operator to handle two of the same size or different size drums at a time. Available with standard or giant jaws for handling drums and cylinders 18-28" in diameter. Fork-mounted unit moves, stacks and palletizes steel and fiber drums. Requires lift truck be equipped with auxiliary valve control and quick couplers. Fork tube size is 2" x 6" x 22". 2000-lb. lifting capacity.



(Model 6145) Gravity-Actuated Mechanical Auto-Grip™ is most efficient on consistently-sized loads. Equipped with standard jaws only that grip with pressure equal to the weight of the drum and adjust to fit 30-, 55- or 85-gallon steel, fiber or overpack drums. Turnbuckle mechanism adjusts to grasp any cylindrical object 18-28" in diameter. Spring-and-cam actuated jaws automatically grip while engaging drum. Fork tube size is 2" x 6" x 20". 1500-lb. lifting capacity.



(Model 6165) Gravity-Actuated Mechanical Auto-Grip™ is exclusively designed for use with 55-gallon plastic drums. 3" jaws fit snugly under top rim of full or empty plastic drums. Turnbuckle mechanism adjusts to grasp any cylindrical object 22-24" in diameter. Spring-and-cam actuated jaws automatically grip while pressure of the drum forces them down. Fork-mounted to easily attach and unattach from forklift in seconds. Fork tube size is 2" x 6" x 20". 1000-lb. lifting capacity.



(Model 7398) Gravity-Actuated Mechanical Drum Snatcher™ is economical and easy to use. Automatically grasps, then moves, stacks and palletizes 55-gal. steel-ringed drums by utilizing unique knuckle-gripping system and natural pressure of the loaded drum. Designed for customers with limited drum handling needs. Fork-mounted. 800-lb. lifting capacity.



(Model 7438) Gravity-Actuated Mechanical Double Drum Snatcher™ allows operator to lift transport and deposit two drums at once. Automatically grasps 55-gal. steel-ringed drums by utilizing unique knuckle-gripping system and natural pressure of the loaded drum. Designed for customers with limited drum handling needs. Fork-mounted 1200-lb. lifting capacity.

Portable Lifts

Valley Craft's portable lifts are an ideal alternative to heavier lift trucks and powered walkies for warehousing of cylinders, drums and bulky palletized items.



(Models 8567, 8568, 7022, 7040, 7785, 7803, 8553, 8561) **Versa-Lift™** multi-purpose positioner is a manually-propelled floor truck with a single-post design to provide excellent mobility and high visibility. Efficiently performs medium-duty and "in between" handling tasks. Four lifting power options and 1,000 lb. capacity. Models are available with various power options: manual foot pump, air motor, 110-volt AC motor or 12-volt DC motor. 78" and 90" models available. Optional floor lock available.



Model 6146 Drum Grip is spring and cam-actuated to automatically grip as pressure against drum forces jaws down. Adjusts to fit steel drum 18-23".



Model 8560 Drum Claw is a beak-style grab that grasps the rim of virtually any kind of drum. Attaches without the use of straps.



Model 8562 Drum Rotator rotates 360° and handles fully-loaded drums up to 800 lbs. Equipped with nylon belts, ratchet tighteners & rubber-coated arms.



Model 9406 Pallet Forks move, elevate and stack pallets up to 24" deep. Useful as compact fork truck in congested areas narrow aisles.



Model 9408 Drum Forks are 24" long and adapted to handle horizontally stacked drums for fast, efficient way to lift drums in and out of stacking racks.



Model 9418 Steel Platform rests on model 9406 to convert unit into a platform lift for work positioning and heavy items. Measures 24" x 24".



Model 9409 Drum Tilter is ideal for occasional one-sided drum pouring. Rotates 120°. Hand crank-operated tilter includes ratchets with nylon straps.



Model 9410 Floor Lock fits any model of Versa-Lift™ or Roto-Lift™. Floor Lock model 9413 available for counterweighted Roto-Lift™.



Roto-Lift™ rotating drum handler is a manually-propelled, straddle-type unit that centers the load between the wheels for maximum balance and safety. Lifts and rotates 360°. Available as manual, battery or air-powered handler. Battery-powered model requires 12-volt deep cycle battery and plugs into a standard grounded outlet. Air-powered models ideal for spark-resistant applications and requires outside air source. Optional floor lock available. 78" or 90"-high units. 800-lb. capacity.



Counterweighted Roto-Lift™ is a manually-propelled drum handler that butts up directly against pallets to make loading and unloading safe and effective. Lifts and rotates 360°. Available as manual, battery or air-powered handler. Battery-powered model requires 12-volt deep cycle battery and plugs into a standard grounded outlet. Air-powered require an outside air source and are ideal for spark-resistant applications. Available as 78" or 90"-high unit. 800-lb. capacity. Comes with (34) 13.5-lb. counter-weights, requires more effort to move.

Models 7786, 7787, 8563, 8564, 8565, 8566, 8581, 8589 & 8590

Models 8569, 8570, 8580, 8591 & 8592





(Models 8585, 8586) Roto-Grip™ lifts and rotates drums and cylinders 18-24" with electric clamping jaws. Choose from 78" or 90"-high models. All units are manually propelled and features an electric-over-hydraulic control system. Electric screwjack clamps and releases the rubber-lined jaws, while the hydraulic rotator turns drums 360°. Single mast design allows for high visibility. 800-lb. capacity. Optional floor lock available. Requires 12-volt deep cycle battery and plugs into a standard grounded outlet. **Note: Batteries not included.**



(Models 8587, 8588) Counterweighted Roto-Grip™ is manually propelled and designed to butt directly up against pallets for effective loading and unloading. Lifts and rotates drums 360°. Electric-over-hydraulic control system requires 12-volt deep cycle battery and plugs into a standard grounded outlet. 800-lb. capacity. 78" or 90"-high models available. Please note, counterweighted models weigh twice as much as straddle-type and require more effort to move. **Note: Batteries not included.**

Safely and easily unload pallets and containment skids with our Barrel Hawk™ series of portable drum handlers. Each unit designed with a smaller footprint to effectively maneuver through congested work areas.



(Model 8575) Barrel Hawk™ Raptor is ergonomically designed to reduce the risk of injury and allow a single operator to safely manipulate virtually any kind of drum up to 800 lbs. Employs drum claw-type grab to attach to rim of 30-, 55- and 85-gal. overpack drums. Glides over standard pallets and picks drums from containment skids with ease. Hydraulic pump lifts typical 55-gal. drum 21" off floor. Rear swivel caster is equipped with a brake for added safety. Single mast design for high visibility and small footprint for easy maneuverability.



(Model 8576) Barrel Hawk™ Harrier quickly and safely secures and transports gas and cryogenic cylinders with ease. The small footprint is ideal for negotiating narrow aisles and doorways. Ergonomically designed to reduce the chance of muscle injury. Back caster equipped with brake for added safety. Unit equipped with adjustable cylinder claw and two ratchet belt tighteners to handle a variety of cylinder types and sizes 9-24". Hydraulic pump raises cylinders 21" from floor. 800-lb. capacity. *(For safety reasons, load should be only 1" from floor during transport.)*



(Models 8576, 4657) Barrel Hawk™ Raptor dh is available as an attachment to the Raptor or as its own unit. The unit is equipped with 2" nylon straps and ratchet tighteners for handling plastic and other soft-sided drums. Glides over standard pallets and picks from containment skids with ease. Same ergonomic design as standard Raptor. Rear swivel caster is equipped with a brake for added safety. Single mast design for high visibility and small footprint for easy maneuverability. Hydraulic pump lifts typical 55-gal. drum 21" off floor. Handles up to 800 lbs.

Because of continuous improvement efforts, specifications are subject to change without notice.



Hand Trucks & Dollies

Valley Craft's line of drum handling trucks and dollies are the answer to safe and effective manual transport and handling of drum inventories, and are available in a variety of styles to accommodate virtually any need.



(Models 1500, 1600, 1625, 1735, 1770, 1895, 1925, 2025, 2050, 2150) **2-Wheel EZY-Rol™ Automatic Drum Trucks** feature Valley Craft's exclusive EZY-Tilt™ design and spring-loaded chime hook so the operator never has to touch the drum. Choice of steel or aluminum. Shoes adjust to handle 30- and 55-gal. drums up to 1000 lbs. Available with optional hand brakes for added safety. Replaceable wheels, shoes and axles available. Five chime hook and three wheel options available.



(Models 2175, 2375, 2425, 2645, 2845, 2895, 2960, 3160, 3210, 3450) **4-Wheel EZY-Rol™ Automatic Drum Trucks** are available in steel or spark resistant aluminum and feature Valley Craft's exclusive EZY-Tilt™ design and spring-loaded chime hooks. Operator never has to touch the drum. Trucks handle 30- and 55-gal. drums up to 1000 lbs. Available with optional hand brakes. Models feature replaceable wheels, shoes and axles. Five chime hook and three wheel options available.



(Models 1501-1508, 1517, 1519) **2-Wheel EZY-Rol™ Manual Drum Trucks** are Valley Craft's economical version of the same well-designed drum truck. Exclusive EZY-Tilt™ design. Available in steel and spark-resistant aluminum. Shoes reverse to handle 30- and 55-gal. drums up to 1000 lbs. Available with optional hand brakes for added safety. All models feature replaceable wheels, shoes and axles. Three wheel options available.



(Models 1509-1516, 1518, 1520) **4-Wheel EZY-Rol™ Manual Drum Trucks** are available with a steel or spark-resistant aluminum frame and the same EZY-Tilt™ design as our other drum trucks but for a smaller price. Shoes reverse to handle 30- and 55-gal. drums up to 1000 lbs. Available with optional hand brakes for added safety. All models feature replaceable wheels, shoes and axles. Three wheel options available.

All drum trucks feature standard chime hook. Special chime hooks available for an additional charge.



Standard Hook
Automatically engages drum. Comes standard on automatic drum trucks.



Plastic Drum Hook
Drops over bung hole protection on plastic drums. Handles standard drums. May be used on aluminum truck.



Cable Hoop Hook
Cable on standard chime hook wraps around drums without a chime.



Fiber Drum Hook
Reaches an extra inch to hook rim of fiber drums. Also handles standard drums.



Locking Cover Hook
Longer reach handles drums with locking cover. May be used on aluminum truck & handles standard drums.




Pneumatic Tire
12 x 3 1/2"
Disassembles to replace tire and tube.



Molded-On Tire
10 x 2 1/2"
Brakes not available with this wheel.



Solid Rubber Tire
10 x 2 1/2"
Standard tire.





(Model 4966) Manual Economy 4-Wheel Drum Truck is a combination drum truck and cradle for handling plastic drums. Truck tilts back and rests on its frame to aid in dispensing liquids. Features special chime hook that fits beneath spigot so it need not be disengaged during draining. 1000 lb. capacity. One person operation. Oversized nose prongs and belt system are ideal for handling both 30- and 55-gallon plastic drums. Truck equipped with non-sparking polyolefine rollers so drums can be rotated without removing them from truck.



(Model 4967) Manual Economy 4-Wheel Drum Truck is a combination drum truck and cradle for handling steel drums. Truck tilts back and rests on its frame to aid in dispensing liquids. Features special chime hook that fits beneath spigot so it need not be disengaged during draining. Handles up to 1000 lbs. One person operation. Truck equipped with non-sparking polyolefine rollers so drums can be rotated without removing them from truck.



(Model 4965) Steel Drum Cradle features all-welded construction and is equipped with telescoping oak handles to provide maximum leverage for safer, easier loading. Oak handles extend to 64", retract to 43 1/2". Rollers on frame allow for barrel rotation for mixing or positioning. 20" drain height. Available with steel or polyolefine wheels



(Model 9709, 9713) Drip Catching Drum Dolly is specially designed to be used with an absorbent sock for soaking up liquids from dispensing drums. Oversized dolly helps keep drips in the pan and area around the drum clean. Eases handling of overpack drums also. Handles drums up to 28" in diameter. 1,000-lb. capacity. *Absorbent sock included with model 9713 only.*



(Models 4968, 4969) Drum Dollies in 30- and 55-gallon sizes mobilize drums and make transport safe and easy. Constructed of tough, band steel and features 2 1/2" lip to keep drum safely in place. 30-gallon dolly has a 650-lb. capacity and 19 1/4" diameter. 55-gallon dolly has a 1000-lb. capacity and 23 1/4" diameter.

Because of continuous improvement efforts, specifications are subject to change without notice.

GENERAL ECONOMY

***Everything you need to handle
and store 30-, 55- or 85-gallon
overpack drums.***

***Whether your
drums are steel,
plastic or fiber,
Valley Craft has
the equipment
to safely and
effectively
handle your
workload.***



Best Pak Company P.O. Box 527 Worthington, Ohio 43085
Ph: (877)885-7527 or (614)885-7527 Fx: (614)888-3094
Best PakCompany.com customer@BestPakCompany.com